



Safety is at Work

Frame-Only Catalog

Designed with critical specifications for fit, form and function, this group features titanium frames and lightweight designs to deliver the ultimate in confidence, comfort and style.

DT-1 | titanium



Size 54 16•140 | 56 16•145
Color Demi Grey | Demi Amber
Temple Spring Hinge
Sideshield DT-1 Brow-Guard

Size 54 56
A 55.3 57.1
B 42.9 45.0
ED 57.1 59.2

DT-2 | titanium



Size 50 20•140 | 52 20•145
Color Antique Demi | Brown Marble
Temple Spring Hinge
Sideshield DT-2 Brow-Guard

Size 50 52
A 50.4 52.7
B 37.9 40.0
ED 50.8 53.1

DT-3 | titanium



Size 50 18•140 | 52 18•145
Color Brown Satin | Navy
Temple Spring Hinge
Sideshield DT-3 Brow-Guard

Size 50 52
A 50.3 52.4
B 30.6 32.7
ED 48.9 50.9

DT-4 | titanium



Size 48 20•135 | 50 20•140
Color Jade | Taupe
Temple Spring Hinge
Sideshield DT-4 Brow-Guard

Size 48 50
A 47.9 50.0
B 32.9 34.8
ED 48.7 50.9

Urban T-5 | titanium



Size 49 19•135 | 51 19•140
Color Shiny Dark Gunmetal | Shiny Light Brown
Temple Spring Hinge
Sideshield Urban T 4/5 Brow-Guard

Size 49 51
A 49.1 51.5
B 31.9 33.4
ED 47.6 50.0

Attitude 3 | stainless steel



Size 52 18•135 | 54 18•140
Color Burgundy/Silver | Moss/Dark Gunmetal
Temple Spring Hinge
Sideshield Brow-Guard

Size 52 54
A 52.2 54.8
B 33.6 34.6
ED 53.7 55.7

Attitude 4 | stainless steel



Size 53 18•135
Color Black/Silver | Blue/Silver
Temple Spring Hinge
Sideshield Brow-Guard

Size 53
A 53.1
B 32.8
ED 54.3

The following collection is a popular and versatile choice that provides the kind of advanced protection and streamlined style you expect from 3M.

Hog | stainless steel



Size 55 17•125
Color Black | Brown
Temple Spring Hinge
Sideshield HOG Brow-Guard | SteelShield

Size 55
A 55.2
B 32.4
ED 54.9

Rebel | stainless steel



Size 56 17•135
Color Navy Blue | Gunmetal
Temple Spring Hinge
Sideshield Clear | Tinted | SteelShield

Size 56
A 56.3
B 34.9
ED 58.5

Rebel-S | stainless steel



Size 56 17•140
Color Navy Blue | Gunmetal
Temple Spring Hinge
Sideshield REB Brow-Guard | SteelShield

Size 56
A 56.0
B 34.8
ED 55.4

TRX and TRX-S | stainless steel



Size 57 17•135 | 59 17•140
Color Black | Silver
Temple Spring Hinge
Sideshield Clear | Tinted | SteelShield

Size 57 59
A 56.9 59.3
B 33.3 35.6
ED 59.8 62.4

SteelShield Features:

- Provides ventilation with protection
- SteelShield colors match the color of the Hog, Rebel, Rebel-S, TRX and TRX-S frames
- Slip on mesh SteelShields can be ordered as removable or permanently attached



Urban 6



Size 57 16•140
Color Black | Bronze
Temple Spring Hinge
Sideshield URB 6 Brow-Guard

Size 57
A 56.9
B 32.9
ED 60.0

Urban 7 | stainless steel



Size 57 16•135
Color Gunmetal | Navy
Temple Spring Hinge
Sideshield URB 7 Brow-Guard

Size 57
A 56.8
B 34.3
ED 57.9

Urban 8 | stainless steel




Size 55 18•140
Color Matte Black | Brown
Temple Spring Hinge
Sideshield URB 8 Brow-Guard


Size 55
A 55.1
B 32.1
ED 55.3




Whether sleek and modern or timeless and classic, this group of safety frames offers superior safety and comfort.

Steel 200 | stainless steel 


Size	53 16•135 55 16•140
Color	Cobalt Sand
Temple	Spring Hinge
Sideshield	STL200 Brow-Guard
Size	53 55
A	53.2 55.1
B	31.7 33.8
ED	54.9 56.8

Steel 300 | stainless steel 

Size	50 19•140 52 19•145
Color	Shiny Gray Shiny Brown
Temple	Spring Hinge
Sideshield	STL300 Brow-Guard
Size	50 52
A	50.3 52.3
B	35.3 37.2
ED	52.4 55.4

Steel 400 | stainless steel 

Size	49 19•140 51 19•145
Color	Gray Matte/Brown Matte Brown Matte/Matte Silver
Temple	Spring Hinge
Sideshield	STL400 Brow-Guard
Size	49 51
A	49.4 51.3
B	34.4 36.5
ED	52.6 54.4


~~**Steel 700** | stainless steel ~~

Size	50 20•140
Color	Black/Silver Brown/Tan
Temple	Spring Hinge
Sideshield	STL700 Brow-Guard
Size	50
A	49.6
B	35.2
ED	51.2

Maxim™ Air Seal Rx


- Comfortable TPE air bladder seal to help keep out dust and particulates
- Ventilation channel helps prevent fogging of the lens
- Plastic construction for consideration in non-conductive applications

Maxim™ Air Seal Kit Features:
Case, Strap, Temples & Cleaning Cloth
Includes Maxim Air Seal Rx, interchangeable temples and headband strap, an anti-fog solution and a sturdy eyeglass carrying case. Maxim Air Seal Rx is ventilated, but for optimal performance we recommend ordering with anti-fog coating treatment.




Size	53 26
Color	Black
Sideshield	Integrated
Size	53
A	53.0
B	38.6
ED	60.0

This collection gets an A+ in quality. With a wide variety of styles, colors and sideshield options to choose from, this is an extraordinary value in protection.

DP600 | stainless steel 

Size	52 18•140 54 18•140
Color	Silver Brown
Temple	Spring Hinge
Sideshield	DP720 Brow-Guard
Size	52 54
A	52.1 54.4
B	31.7 33.2
ED	54.0 56.3

DP610 | stainless steel 

Size	52 18•140 56 18•145
Color	Gray Brown
Temple	Spring Hinge
Sideshield	DP810 Brow-Guard
Size	54 56
A	54.3 56.2
B	35.3 37.3
ED	55.4 58.0

DP620 | stainless steel 

Size	51 18•140 53 18•140
Color	Black Brown
Temple	Spring Hinge
Sideshield	DP820 Brow-Guard
Size	51 53
A	50.6 52.9
B	32.2 33.1
ED	53.0 54.7

DP720 


Size	51 19•140 53 19•145
Color	Matte Brown Matte Grey
Temple	Spring Hinge
Sideshield	DP720 Brow-Guard
Size	51 53
A	50.5 52.4
B	31.3 33.2
ED	52.6 54.7

DP810 

Size	49 19•140 51 19•145
Color	Brown Olive
Temple	Spring Hinge
Sideshield	DP810 Brow-Guard
Size	49 51
A	49.1 51.1
B	32.6 34.4
ED	49.1 52.4

DP820 


Size	52 19•140 54 19•145
Color	Brown Gunmetal
Temple	Spring Hinge
Sideshield	DP820 Brow-Guard
Size	52 54
A	51.8 54.0
B	32.7 34.8
ED	51.8 54.1

Classic 1 | stainless steel 

Size	50 15•130 52 15•135
Color	Brown Silver
Temple	Spring Hinge
Sideshield	CLS1 Brow-Guard
Size	50 52
A	50.7 52.7
B	33.2 35.3
ED	54.5 56.6

Classic 2 | stainless steel 

Size	50 15•130 53 15•135
Color	Brown/Tortoise Gray/Black
Temple	Spring Hinge
Sideshield	CLS2 Brow-Guard
Size	50 53
A	51.3 53.8
B	36.8 38.7
ED	53.9 55.9

Steel 800 | stainless steel 

Size	54 16•130 56 16•135
Color	Gold Gunmetal
Temple	Spring Hinge
Sideshield	STL800 Brow-Guard
Size	54 56
A	54.2 56.7
B	41.5 42.8
ED	60.8 63.2

ZT35 

Size	57 20•125
Color	Matte Gray (Black Trim) Shiny Black (Blue Trim)
Temple	Standard removable, head strap provided
Sideshield	Integrated
Size	57
A	57.4
B	37.3
ED	58.5

ZT45-6 | 6 Base 

Size	54 13•130
Color	Black (with black graffiti) Silver White (with tan graffiti)
Temple	Standard
Sideshield	Integrated
Size	54
A	53.7
B	31.9
ED	56.1

ZT45-8 | 8 Base 

Size	63 13•130
Color	Black (with black graffiti) Silver White (with tan graffiti)
Temple	Standard
Sideshield	Integrated
Size	63
A	63.2
B	36.6
ED	65.7


A model of precision and design, the frames listed below were created with safety and comfort in mind.

EC550 


Size	54 18•140 56 18•145
Color	Gunmetal
Temple	Spring Hinge
Sideshield	EC/EX550 Brow-Guard
Size	54 56
A	55.1 57.8
B	44.2 47.0
ED	58.8 64.3

EX550 

Size	54 18•140 56 18•145
Color	Gunmetal
Temple	Spring Hinge
Sideshield	EC/EX550 Brow-Guard
Size	54 56
A	55.1 57.8
B	44.3 47.0
ED	58.8 64.3

Alpha 


Size	49 20•130 51 20•135
Color	Brown Olive
Temple	Standard
Sideshield	EZA Brow-Guard
Size	49 51
A	49.2 51.0
B	32.5 35.0
ED	50.4 52.4

Beta 

Size	56 18•140 58 18•145 60 19•145
Color	Gold Gunmetal
Temple	Standard
Sideshield	EZB Brow-Guard
Size	56 58 60
A	55.9 58.0 60.0
B	41.3 43.1 45.1
ED	58.7 61.2 63.2

Gamma 

Size	52 18•140 54 18•145
Color	Gold Gunmetal
Temple	Standard
Sideshield	EZG Brow-Guard
Size	52 54
A	51.9 53.8
B	37.1 39.1
ED	55.5 56.3

650 

Size	48 16•140 50 16•145
Color	Brown Marble Gray Marble
Temple	Spring Hinge
Sideshield	650 Brow-Guard
Size	48 50
A	47.1 49.5
B	29.8 31.5
ED	47.3 50.1

DX670 


Size	51 19•135 53 19•140
Color	Olive Tortoise
Temple	Spring Hinge
Sideshield	DX670 Brow-Guard
Size	51 53
A	51.3 53.4
B	31.3 33.0
ED	53.2 55.7

D490 

Size	54 15•140 56 15•145
Color	Black Crystal Brown Amber
Temple	Standard
Sideshield	D490 Brow-Guard
Size	54 56
A	54.3 56.4
B	30.9 33.1
ED	56.1 58.3


V1000 Features:

- Computer designed to help provide a comfortable fit
- Integrated side protection (no additional side shields required)
- High visibility reflective temples for greater safety and added visibility at dusk and night
- 8 base lenses inserted directly into frame


V1000 | 6 Base 

Size	52 19•130
Color	Jet Wine Fade
Temple	Standard
Sideshield	Integrated
Size	52
A	51.3
B	30.4
ED	51.2


V1000 6 base features streamlined 6 base gaskets when the 8 base version is not an option due to Rx limitations.

V1000 | 8 Base 

Size	8 Base 61 16•130
Color	Jet Wine Fade
Temple	Standard
Sideshield	Integrated
Size	61
A	60.4
B	34.2
ED	59.6

ZT200 

Size	54 20•126
Color	Black/Lime Green Gray/Yellow Navy Blue/Gray
Temple	Standard
Sideshield	Integrated
Size	54
A	53.7
B	34.1
ED	53.5


ZT25 | 6 Base, 8 Base 

Size	6 Base 56 19•127 8 Base 61 19•127
Color	Matte Black
Temple	Standard
Sideshield	Integrated
Size	56 61
A	55.7 61.2
B	33 38.6
ED	55.5 61.5

Classic 3 

Size	53 18•145
Color	Black Tortoise
Temple	Spring Hinge
Sideshield	CLS3 Brow-Guard
Size	53
A	52.8
B	38.5
ED	53.0


Designed to meet the demands of most job tasks, our smart and popular frames in this group are the height of well-rounded protection.

CX7000 

Size	52 18•140 54 18•145
Color	Silver
Temple	Standard
Sideshield	CX7000 Brow-Guard
Size	52 54
A	54.4 56.6
B	46.9 48.8
ED	58.9 61.1

C470 

Size	51 16•135
Color	Blue Brown
Temple	Spring Hinge
Sideshield	C470 Brow-Guard
Size	51
A	51.4
B	34.6
ED	52.4

~~**C8000** ~~

Size	52 18•140
Color	Silver
Temple	Standard
Sideshield	C8000 Brow-Guard
Size	52
A	53.5
B	43.3
ED	53.4

ZT100 

Size	53 15 57 15 62 15
Color	Black Blue/Gray Gray/Red
Temple	Adjustable
Sideshield	Clear Metal Mesh Opaque Permanently Attached Only
Size	53 57 62
A	53.0 57.0 62.0
B	33.9 35.7 36.9
ED	54.3 57.9 62.8

When looking for reliability on a tight budget, these frames offer solid protection at an affordable price.

A2000

Size 54 18•122 | 58 17•122
Color Blue | Pink | Smoke
Temple Standard
Sideshield Integrated



Size 54 58
A 55.4 58.1
B 32.1 34.2
ED 53.8 57.5

F6000

Size 50 13•140 | 53 15•140
 55 15•145
Color Gray Fade
Temple Standard | Cable 170mm
Sideshield F6000 Brow-Guard
 Breeze-Catcher



Size 50 53 55
A 51.2 54.9 55.8
B 43.9 46.1 48.9
ED 57.6 60.3 62.1

Eagle

Size 53 13 | 56 11 | 59 13
Color Smoke
Temple Adjustable
Sideshield Integrated



Size 53 56 59
A 56.1 57.9 61.9
B 41.0 42.2 45.4
ED 56.9 58.5 62.4

Flip Up

Eagle Flip-up available with IR Shade 3.0, 5.0, Cobalt and ACE (replacement for didymium).



Brow Protector

Features soft rubber pad for increased comfort and is easily removed and replaced. Replacements are available in packages of 10.



Note: Prescription range limitations are -6.00 D to +4.00 D and cylinder up to and including -2.00 D (-3.00 D on smaller eye size).

For simple and straight-forward protection, these classic frames never go out of style.

F4000

Size 53 18•145
Color Gray
Temple Standard
Sideshield F4000 Brow-Guard



Size 53
A 55.5
B 46.9
ED 59.4

F9800

Size 46 20•6 | 48 20•6
Color Smoke
Temple Standard | Cable 170mm
Sideshield F98/99 Brow-Guard
 Breeze-Catcher
 Full-Cup Perforated



Size 46 48
A 45.4 48.0
B 38.6 41.0
ED 49.3 51.7

F9900

Size 50 22•6 | 52 22•6
Color Smoke
Temple Standard | Cable 170mm
Sideshield F98/99 Brow-Guard
 Breeze-Catcher
 Full-Cup Perforated



Size 50 52
A 49.7 52.0
B 42.4 45.0
ED 53.6 55.7

Additional Sideshields

Note – not all sideshield options are available on every frame. See frame data for specific availability.



Brow-Guard

- Made from high-impact polycarbonate
- Comprehensive side and brow protection
- Available in clear or gray
- Permanently attached or detachable



Breeze Catcher

- Wire mesh design offers maximum ventilation
- Oxidized, corrosion-resistant wire mesh
- Reduces fogging, improves comfort
- Full-cup design
- Tighter-weave 40 mesh
- Permanently attached



Perforated Full-Cup

- Made from propionate
- Perforated design helps reduce fogging
- Permanently attached



Metal Mesh (ZT100 only)

- Made from high-impact polycarbonate and stainless steel
- Oxidation and corrosion resistant
- Provides ventilation and helps reduce fogging
- Permanently attached



Personal Safety Division Occupational Prescription Eyewear

2925 Gary Drive
 Plymouth, IN 46563
 USA
 800.844.0261
 Fax: 866.377.8302
 SRxFrames@mmm.com

Please recycle. Printed in the USA.
 © 3M 2014. All rights reserved. 3M is a service mark of 3M Company, used under license in Canada. All other trademarks are the property of their respective owners.
 70-0716-7123-7

WARNING!

These eye or face protection products help provide limited eye and face protection. **Misuse or failure to follow warning and instruction may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read user instructions and warning on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.